







TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		JLLS 30A - 1200A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 08/29/2024 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-JLLS SHEET 2 OF 7




TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		JLLS 30A - 1200A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 08/29/2024 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: SHEET 3 OF 7 FCC05-JLLS




TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		JLLS 30A - 1200A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 08/29/2024 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-JLLS SHEET 4 OF 7



TEST VOLTAGE:		TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:			JLLS 30A - 1200A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL	
		DATE: 08/29/2024	
PEAK LET-THRU CHARACTERISTIC CURVES		REVISION: D	
		DRAWING NO.: SHEET 5 OF 7	
		FCC05-JLLS	



TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		JLLS 30A - 1200A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 08/29/2024 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: SHEET 6 OF 7 FCC05-JLLS



TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		JLLS 30A - 1200A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 08/29/2024 REVISION: D
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-JLLS SHEET 7 OF 7