




TEST VOLTAGE: BASIS FOR DATA: AB = 15% Power Factor	TIME CONSTANT/POWER FACTOR: FUSE CATALOG NUMBER: KLPC 200A-6000A
 LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 03/27/2018 REVISION: A DRAWING NO.: FCC05-KLPC

PEAK LET-THRU CHARACTERISTIC CURVES


SHEET 2 OF 9


FCC05-KLPC





TEST VOLTAGE: BASIS FOR DATA: AB = 15% Power Factor	TIME CONSTANT/POWER FACTOR: FUSE CATALOG NUMBER: KLPC 200A-6000A
 LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL DATE: 03/27/2018 REVISION: A DRAWING NO.: FCC05-KLPC SHEET 3 OF 9


PEAK LET-THRU CHARACTERISTIC CURVES





TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA: AB = 15% Power Factor		KLPC 200A-6000A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/27/2018 REVISION: A
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-KLPC SHEET 4 OF 9



TEST VOLTAGE:		TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA: AB = 15% Power Factor			KLPC 200A-6000A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL	
		DATE: 03/27/2018	
		REVISION: A	
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.:	SHEET 5 OF 9
		FCC05-KLPC	



TEST VOLTAGE:	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA: AB = 15% Power Factor		KLPC 200A-6000A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/27/2018 REVISION: A
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-KLPC SHEET 6 OF 9





TEST VOLTAGE: BASIS FOR DATA: AB = 15% Power Factor	TIME CONSTANT/POWER FACTOR: FUSE CATALOG NUMBER: KLPC 200A-6000A
<div data-bbox="410 1864 492 1938" data-label="Image"> </div> <div data-bbox="516 1871 776 1938" data-label="Text"> <p>LITTELFUSE, INC. CHICAGO, IL. USA</p> </div>	DRAWN BY: LLL DATE: 03/27/2018 REVISION: A DRAWING NO.: FCC05-KLPC

PEAK LET-THRU CHARACTERISTIC CURVES

SHEET 7 OF 9

FCC05-KLPC



TEST VOLTAGE:		TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA: AB = 15% Power Factor			KLPC 200A-6000A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL	
		DATE: 03/27/2018	
PEAK LET-THRU CHARACTERISTIC CURVES		REVISION: A	
		DRAWING NO.: FCC05-KLPC SHEET 8 OF 9	